

RECEIVED
CENTRAL FAX CENTER
FEB 03 2005

**DIMOCK STRATTON LLP***Barristers and Solicitors • Patent and Trade-Mark Agents***FAX**

DATE: February 3, 2005

TO: NAME & FIRM	PHONE #	FAX #
Examiner John P. Fitzgerald United States Patent and Trademark Office GROUP ART UNIT: 2856	1-571-272-2843	1-703-872-9306

FROM: Adrian M. Kaplan

OUR FILE: 1672-3/AMK

TOTAL PAGES SENT (including this page): 8

Confirmation of facsimile to follow: ☐ Yes ☒ No, unless requested

If you do not receive all the pages of this facsimile clearly,
please call Carmen Ko at (416) 971-7202.

NOTES:**Re: U.S. Patent Application No. 10/650,536***Documents Enclosed: Response to Office Action mailed
November 3, 2004*

This fax may contain information which is confidential and privileged. If you are not
the intended recipient of this fax, you are not permitted to make use of this fax.

If you have received this in error, please notify the sender.


20 Queen Street West, Suite 3202, Box 102, Toronto, Ontario Canada M5H 3R3
Tel: (416) 971-7202 Fax (416) 971-6638
E-mail: firm@dimock.com • www.dimock.com

RECEIVED
CENTRAL FAX CENTER

FEB 03 2005

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this document and the documents indicated as enclosed herewith are being sent by facsimile transmission to the United States Patent and Trademark Office on the date set forth below.

Date: February 3, 2005
Adrian M. Kaplan
Registration No. 43396**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Application No.: 10/650,536

Filing Date: August 28, 2003

Applicant: Quality Fabricating & Machining
Ltd.

Title: LEAK DETECTOR

Examiner: John P. Fitzgerald

Attorney's Ref.: 1672-3/AMK

AMENDMENT

In response to the Official Action
Dated: November 3, 2004

Commissioner for Patents
U.S. Patent and Trademark Office
220 20th Street South
Customer Window, **Mail Stop Amendment**
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202
U.S.A.

Dear Sir:

This is in response to the Office Action mailed on November 3, 2004. This response is therefore timely filed.

Please amend this application as follows: